

File Original and First Copy with
Department of Ecology
Second Copy — Owner's Copy
Third Copy — Driller's Copy

WATER WELL REPORT

STATE OF WASHINGTON

30/02-18R

Application No.

Permit No.

(1) OWNER: Name BERNARD WATERMAN Address CLINTON WA 98236
(2) LOCATION OF WELL: County ISLAND — SE 1/4 SE 1/4 Sec. 18 T. 30 N., R. 2 E. W. M.
Bearing and distance from section or subdivision corner 1000' NORTH, 800' WEST / SE CORNER OF SEC 18

(3) PROPOSED USE: Domestic ☒ Industrial ☐ Municipal ☐
Irrigation ☐ Test Well ☐ Other ☐

(4) TYPE OF WORK: Owner's number of well (if more than one).....
New well ☒ Method: Dug ☐ Bored ☐
Deepened ☐ Cable ☒ Driven ☐
Reconditioned ☐ Rotary ☐ Jetted ☐

(5) DIMENSIONS: Diameter of well 6 inches.
Drilled 250 ft. Depth of completed well 239 ft.

(6) CONSTRUCTION DETAILS:

Casing installed: 6" Diam. from 0 ft. to 235 ft.
Threaded ☐ " Diam. from ft. to ft.
Welded ☒ " Diam. from ft. to ft.

Perforations: Yes ☐ No ☒

Type of perforator used.....
SIZE of perforations in. by in.
..... perforations from ft. to ft.
..... perforations from ft. to ft.
..... perforations from ft. to ft.

Screens: Yes ☒ No ☐

Manufacturer's Name LOOK
Type SS Model No.
Diam. 6 Slot size 10 from 235 ft. to 239 ft.
Diam. Slot size from ft. to ft.

Gravel packed: Yes ☐ No ☒ Size of gravel:
Gravel placed from ft. to ft.

Surface seal: Yes ☒ No ☐ To what depth? 20 ft.
Material used in seal BENTONITE
Did any strata contain unusable water? Yes ☐ No ☒
Type of water? Depth of strata
Method of sealing strata off

(7) PUMP: Manufacturer's Name STA-RITE
Type: SUB HP 1 1/2

(8) WATER LEVELS: Land-surface elevation 250 ft.
Static level 209 ft. below top of well Date 1-30-76
Artesian pressure lbs. per square inch Date
Artesian water is controlled by (Cap, valve, etc.)

(9) WELL TESTS: Drawdown is amount water level is lowered below static level
Was a pump test made? Yes ☒ No ☐ If yes, by whom? DRILLER
Yield: 7 1/2 gal./min. with MAX ft. drawdown after 1 1/2 hrs.
" " " " " "
" " " " " "

Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level)

Time	Water Level	Time	Water Level	Time	Water Level

Date of test
Bailer test gal./min. with ft. drawdown after hrs.
Artesian flow g.p.m. Date
Temperature of water Was a chemical analysis made? Yes ☐ No ☒

(10) WELL LOG:

Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

MATERIAL	FROM	TO
TOP SOIL	0	2
BROWN SAND	2	10
" CLAY & SAND	10	15
" SAND	15	55
" HARD PAN/ROCKS	55	61
GRAY " " "	61	75
" SAND	75	97
" HARD PAN/ROCKS	97	145
BROWN SAND	145	220
" SAND MED. W.W.	220	240
BLUE CLAY & SAND	240	250

Work started JAN 2, 1976 Completed JAN 30, 1976

WELL DRILLER'S STATEMENT:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.


NAME BAY DRILLING CO
(Person, firm, or corporation) (Type or print)

Address P.O. Box 55, FRETLAND, WA 98241

[Signed] MV Johnson
(Well Driller)

License No. 265 Date 1-31, 1976

(USE ADDITIONAL SHEETS IF NECESSARY)



4 2474m

307 m



WASHINGTON STATE
DEPARTMENT OF
ECOLOGY

Well Tagging Form

Unique Well Tag No: APH128

RECORD VERIFICATION (check ☒ one)

- ☒ Well Report available (please attach this form to the well report and submit it to the Ecology Regional Office near you)
- ☐ Verification inconclusive
- ☐ Well Report not available

WELL OWNERSHIP IF DIFFERENT FROM WELL REPORT

Name: Lagoon Pt Acres Water System

Street Address: 3511 S SHADY GLEN LN

City: GREENBANK

State: WA

WELL LOCATION IF DIFFERENT FROM WELL REPORT

Well Address: 3527 Shady Glen

City: _____

County: Island

T. 30N R. 02E W.M. Sec. 18 SE 1/4 of the SE 1/4

FOR AGENCY USE ONLY

Latitude: 48 4.940448

Longitude: 122 35.82689

Elevation at land surface 307 feet meters (circle one)

Additional Information, if available:

- ☐ Location marked on topographic map (please attach)
- ☐ Location marked on air photo (please attach)

- ☒ GPS
- ☐ Topographic Map
- ☐ Survey
- ☐ Computer generated
- ☐ Digital Altimeter
- ☐ Topographic Map
- ☒ Other: Computer Generated from
DEM and GPS XY Coordinates

Tag placed and well
GPS'd by:



FOR AGENCY USE ONLY

WELL CHARACTERISTICS

Physical Description of well (size of casing, type of well, housing, etc.)

Up Driveway Back On Left. Brown Pumphouse

Location of Well Identification Tag:

Was supplemental tag needed for easy of identifying well? ☐ Yes ☒ No

If yes, where was tag placed? _____

D	C	B	A
E	F	G	H
M	L	K	J
N	P	Q	<div>●</div> R

SECTION: 30N/02E-18

COMMENTS: _____

FOR ECOLOGY WATER RESOURCES PROGRAM ONLY

Water Right # _____ Date Issued: _____

Circle One: Application Permit Certificate Claim Exempt

File Original and First Copy with
Department of Ecology
Second Copy — Owner's Copy
Third Copy — Driller's Copy

WATER WELL REPORT

STATE OF WASHINGTON

30/02-18R

Application No.

Permit No.

(1) OWNER: Name BERNARD WATERMAN Address CLINTON WA 98236

(2) LOCATION OF WELL: County ISLAND - SE 1/4 SE 1/4 Sec. 18 T. 30 N. R. 25 W.M.

Bearing and distance from section or subdivision corner 1000' NORTH, 800' WEST / SE CORNER OF SEC 18

(3) PROPOSED USE: Domestic ☒ Industrial ☐ Municipal ☐
Irrigation ☐ Test Well ☐ Other ☐

(4) TYPE OF WORK: Owner's number of well (if more than one) 1
New well ☒ Method: Dug ☐ Bored ☐
Deepened ☐ Cable ☒ Driven ☐
Reconditioned ☐ Rotary ☐ Jetted ☐

(5) DIMENSIONS: Diameter of well 6 inches.
Drilled 250 ft. Depth of completed well 239 ft.

(6) CONSTRUCTION DETAILS:

Casing installed: 6" Diam. from 0 ft. to 235 ft.
Threaded ☐ " Diam. from ft. to ft.
Welded ☒ " Diam. from ft. to ft.

Perforations: Yes ☐ No ☒

Type of perforator used
SIZE of perforations in. by in.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.

Screens: Yes ☒ No ☐

Manufacturer's Name LOOK
Type SS Model No.
Diam. 6 Slot size 10 from 235 ft. to 239 ft.
Diam. Slot size from ft. to ft.

Gravel packed: Yes ☐ No ☒ Size of gravel:
Gravel placed from ft. to ft.

Surface seal: Yes ☒ No ☐ To what depth? 20 ft.

Material used in seal BENTONITE
Did any strata contain unusable water? Yes ☐ No ☒
Type of water? Depth of strata
Method of sealing strata off

(7) PUMP: Manufacturer's Name STA-RITE
Type SUB HP 1 1/2

(8) WATER LEVELS: Land-surface elevation above mean sea level 250 ft.
Static level 209 ft. below top of well Date 1-30-76
Artesian pressure lbs. per square inch Date
Artesian water is controlled by (Cap, valve, etc.)

(9) WELL TESTS:

Drawdown is amount water level is lowered below static level
Was a pump test made? Yes ☒ No ☐ If yes, by whom? DRILLER
Yield: 7 1/2 gal./min. with MAX ft. drawdown after 1 1/2 hrs.

Recovery data (time taken as zero when pump turned off) (water level measured from wall top to water level)

Time	Water Level	Time	Water Level	Time	Water Level

Date of test
Bailer test gal./min. with ft. drawdown after hrs.
Artesian flow g.p.m. Date
Temperature of water Was a chemical analysis made? Yes ☐ No ☒

(10) WELL LOG:

Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

MATERIAL	FROM	TO
TOP SOIL	0	2
BROWN SAND	2	10
" CLAY & SAND	10	15
" SAND	15	55
" HARD PAN / ROCKS	55	61
GRAY " " "	61	25
" SAND	25	97
" HARD PAN / ROCKS	97	145
BROWN SAND	145	220
" SAND MED. W.W.	220	240
BLUE CLAY & SAND	240	250

Work started JAN 2 1976 Completed JAN 30 1976

WELL DRILLER'S STATEMENT:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME B & V DRILLING CO
(Person, firm, or corporation) (Type or print)

Address P.O. Box 55 FREELAND WA 98241

[Signed] WV L. Fisher
(Well Driller)

License No. 265 Date 1-31 1976

(USE ADDITIONAL SHEETS IF NECESSARY)